



# JBA型厌氧反应搅拌机 JBA Type Anerobic Reactor Mixer



2017

南京贝特环保通用设备制造有限公司  
Nanjing Beite Environmental Protection GE Manufacture Co., Ltd.


## JBA 型厌氧反应搅拌机 JBA Type Anaerobic reactor Mixer

### 用途 Usage

JBA型厌氧反应搅拌机适用于城镇生活污水、污泥硝化、养殖废料、餐厨垃圾以及其它生活、生产有机废水废料的厌氧反应搅拌，可起到破除液面硬壳、减少反应池内物料液体分层的作用，通过机械搅拌的方式促进反应池内的循环流动，有效提高厌氧反应效率。

The mixer suitable for urban sewage, sludge nitrification, aquaculture waste, food waste and other life, production of organic wastewater waste anaerobic reactor mixing. It can play to get rid of the level NUTS, reducing the material of the reaction tank liquid stratification, and to promote the circulation flow in the reaction tank by mechanical stirring, to effectively improve the efficiency of anaerobic.

### 型号表示方法 Type Code




### 结构组成 Features

JBA型厌氧反应搅拌机由动力部分、机座、联轴器、密封、搅拌轴、搅拌桨、底部支撑座等部分组成。  
JBA type Mixer composed of the power , base, coupling, seal, shaft, impeller, the bottom of the support seat.

### 主要技术参数 Main Technical Parameters

参数 Parameters	型号Type	JBA600	JBA800	JBA1500	JBA2000	JBA2600	JBA3800	JBA4500	JBA6800
功率(kW)Power		0.37-3	0.75-5.5	1.5-7.5	3-9	4-15	7.5-22	7.5-37	9-45
转速(rpm)Rpm of impeller		10-35	10-35	10-31	8-29	8-26	8-22	6-15	6-12
桨径(mm)Diameter		600	800	1500	2000	2600	3800	4500	6800
桨层Num of blade		1-4	1-4	1-3	1-3	1-3	1-3	1-3	1-3
轴长(mm)Length of shaft		<3	<4.5	<6	<7.2	<8	<10	<12	<16
作用范围(mm)Service range		1500	2100	4500	5800	7500	11000	13000	18000
重量(kg)Weight		124	145	186	245	450	760	980	1450

外形安装图 Diagram of the outside dimensions



由于技术不断进步，我公司保留修改设计的权利，恕不另行通知。

We reserve the technical modification right owing to the continuous technology progress without otherwise notification.